WROUGHT IRON
ADRIAN MICH
CATALOGUE NO. 11
P W
O
W F
PAGE WOVEN WIRE FENCE CO.


PREFATORY
WE TAKE PLEASVRE
IN PRESENTING THIS NEW
CATALOGVE OF
ORNAMENTAL IRON WORK
REPRESENTING STANDARD
STYLES AS EXECVTED BY
VS IN THE PRINCIPAL CITIES
OF THE VNITED STATES
AND ELSEWHERE
PAGE WOVEN WIRE FENCE
COMPANY
ADRIAN MICHIGAN V S A

ESTABLISHED 1886

Page Woven Wire Fence Co.

Manufacturers of

Wrought-Iron Work of all Kinds:

Wrought-Iron Fences, Gates, Arches, Awnings, Porches,
Grill Work, Animal Cages for Zoological Gardens,
Signs, Railings, Area Gratings, Hitching
Posts, etc., and the well-known

PAGE COILED SPRING STEEL WIRE FENCE

Adrian, Michigan, U. S. A.

J. Wallace Page, President

Austin Clement, 1st Vice-President — Arthur B. Cody, Secretary

Charles M. Lamb, 2nd Vice-President — Leslie B. Robertson, Treas. & Ass't Sec'y.

FINCH, THE PRINTER, ADRIAN, MICH.

GENERAL INFORMATION PERTAINING TO OUR WROUGHT IRON FENCES.

All material of soft steel free from flaws.

The **STANDARD HEIGHTS,** when set, are 30, 34, 40, 46, 52 and 60 inches. This means the height of the top of the picket heads above the ground, and allows for a 4-inch space between the bottom rail and the ground. The pickets are spaced as nearly 4 inches from center to center as possible.

The **STANDARD WIDTH** of **GATES** is 3½ feet for single gates and 9 feet for double gates.

The **CAST-IRON POSTS** vary in size from a 3½-inch square base to a 14-inch square base, and in height from 35½ inches to 90 inches, according to the height of the fence. The 10-inch square posts are 83¼ inches high.

The **UPPER RAIL** or rails of the fence are channel iron and the bottom rail is angle iron, the size and weight of the rails varying according to size of pickets and height of fence.

The **PRICE** of fencing includes the adjustable line posts and their underground bases, but does not include the gates, cast-iron end, gate or corner posts. These are extra.

While all the illustrations show the same height of fencing, still, as before mentioned, these fences are made in eight heights and four sizes of pickets. In writing us regarding these fences, please refer to them by their pattern number.

For driveway arches, as shown on another page (Andersonville Prison Park), the bases of the posts are 10 x 10 inches, and the standard height from the ground to the under side of the arch is 12 feet clear.

We will enter into competition on propositions for Wrought Iron Fencing, Driveway Arches, Vault Gates, or anything in our line, furnishing estimates and special designs.

GATES are measured in with the total length of fence and are charged extra, in addition to the price per foot of the fence selected for the width of the openings, owing to the extra labor on them and the extra material in their construction. This we consider a more equitable way of doing than to increase the price per foot to cover the cost of gates and posts, as the number desired varies greatly in the different orders for fence. All single gates are furnished with bronze hand knobs.

POSTS are measured in with the fence the same as the gates are, and we determine the length of the panels after deducting the width of the posts.

CRATING. The banners of archways and the projecting scrolls of ornamental entrance gates in some instances require crating to prevent injury in transit. Where this is necessary, a charge of 5 per cent. is made. This is also the usual charge when the customer requests his order boxed or crated.

The **PICKETS** in all our fences are of round or square steel. Where picket heads are shown they are of malleable iron shrunk on the upright picket and cannot be removed. The pickets are all screwed into the bottom rail.

PAINT. We use black linseed oil paint in all instances. Where other colors are desired an extra charge of three cents per foot is made.

IN MEASURING always stand on the outside of the fence facing the house or lot to be fenced, and give the distance from the end of the fence to the center of the first gate, and so on, then add together the different divisions and compare with the entire length for verification of measurements. The standard width of single gates is 3½ ft., and of double gates 9 ft., and they will in all instances be so made unless given differently on the diagram. Be sure and indicate which way gates should swing. In single gates to match Patterns 13, 14, 15, 113, 114, 115 and 116, it is impossible to make a 3-ft. gate, though in extreme cases a 4-ft. gate can be made. Time is saved in all instances by ordering regular sizes.

The only exception to these rules for estimating is in the case of the archways. Where archways are wanted the amount of the archway and gates should be according to the list and not measured in the line of the fence.

Fence Pattern No. 43. Posts No. 200.

OSHKOSH YACHT CLUB, Oshkosh, Wisconsin.

CAST-IRON END, GATE AND CORNER POSTS.

Nos. 145 and 105 are made in sizes for fences from 30 to 52 inches high.

No. 115 for fences from 30 to 66 inches high.

Nos. 200 and 290, 10 inches square at base for fences 60 inches high and Arch Posts.

No. 200, 14 inches at base for 60 inch fence and higher when used for arches.



No. 200.

No. 290.



No. 300.



No. 105.

No. 115.



No. 145.



HITCHING POSTS.
No. 350. No. 351.



The cut at the top of the page shows a section of Wrought Iron Fencing standing on the underground cast-iron bases. The stirrup-shaped bases are cast wide at the bottom and taper up to the ground line so that the frost will not heave them.

The bases for the End, Corner and Gate Posts are very heavy and solid, as shown to the right, while the bases for the Adjustable Line Posts are lighter and well proportioned to the resistance required.

The heavy posts are fastened to their bases by a large bolt passing down through their whole length and screwing into the top of the base. The adjustable post is fastened to its base by two bolts at the ground line, as shown to the left. By these bolts a perfect adjustment is easily made.



The cut at the bottom of the page shows the detailed construction of a square picket fence when made without the separate intermediate post. One picket is lengthened so as to enter the cast iron ground base and the panel fastened to this picket by a malleable clamp passing over the picket. A brace is fastened to this base and extends about two-thirds the height of the picket.



PICKET HEADS.

Pattern No. 0 is in sizes to fit 3/8, 7/16, 1/2 and 5/8-inch round pickets.

Pattern No. 1 is in sizes to fit 3/8, 7/16, 1/2, 5/8 and 3/4-inch round pickets, and 7/16, 1/2, 5/8 and 3/4-inch square pickets.

Pattern No. 4 is in sizes to fit 3/8, 7/16, 1/2, 5/8, 3/4 and 1-inch round pickets, and 7/16, 1/2, 5/8 and 3/4-inch square pickets.

Pattern No. 5 is in sizes to fit 3/8, 7/16, 1/2 and 5/8-inch round pickets.

Pattern No. 6 is in sizes to fit 1/2, 5/8 and 3/4-inch round pickets, and 1/2, 5/8 and 3/4-inch square pickets.

The No. 6 Picket Head has the I. H. S. in the center of the cross, making it very appropriate for church and cemetery work.

The No. 7 Picket Head is made to fit square pickets only; 1/2-inch, 5/8-inch only.



№3



№5



№7

№10

These ornaments or rosettes are of cast iron and are firmly fastened to the pickets by rivets passing through both the rosettes and pickets. They are best adapted for use with the style of picket heads with which they are shown in the various cuts of fences.



PATTERN 100.

PATTERN 13.



PATTERN 14.

PATTERN 15.



PATTERN 23.

PATTERN 24.



PATTERN 43.

PATTERN 63.

(See page 6 for size of pickets furnished.)



PATTERN 44.

PATTERN 45.



PATTERN 73.

PATTERN 74.

(See page 6 for size of pickets furnished.)

PATTERN 113.

PATTERN 114.



PATTERN 115.

PATTERN 116.



PATTERN 123.

PATTERN 124.



PATTERN 125.

PATTERN 126.



PATTERN 143.

PATTERN 144.



PATTERN 145.

PATTERN 146.



PATTERN 153.

PATTERN 154.



PATTERN 223.

PATTERN 224.



PATTERN 227.

(See page 6 for size of pickets furnished.)

PATTERN 277.



PATTERN No. 9.

A neat and attractive fence, at low price, for division fence or Cemetery purposes. Made in ⅜ inch round picket only and furnished only 38 inches high. Single gates 3½ or 4 feet wide. Double gates 9 feet wide. Can be adapted to grade at slight additional cost.



JOCKEY FENCE.

Jockey fence specially designed for use at race tracks and club houses. No sharp pickets to injure horses.

It is used with wooden posts.



CARRIAGE ENTRANCE, DOUBLE GATES, No. 116.

These gates are usually made 9 feet wide between posts. With change of picket heads, etc., they are made to match the various styles of fences.



CARRIAGE ENTRANCE, DOUBLE GATES, No. 145.

These gates are usually made 9 feet wide between posts. With change of picket heads, etc., they are made to match the various styles of fences.



FANCY ENTRANCE GATES, PATTERN No. 400.

Heavy and massive; wrought iron scrolls $\frac{3}{16}$ inch thick, twisted and riveted by hand; $\frac{5}{8}$ inch round pickets. Designed especially for 72 or 84 inch fence and can be used with No. 300 post.



HEAVY GATES. PATTERN No. 500, ON POST No. 290.

We used this style of Gates and Post in building the St. Joseph's and Andersonville Arches. The Gates can be used with Posts No. 290 and No. 200.

ENTRANCE GATES, No. 327.

Made of ¾ inch square pickets, malleable iron heads. Scrolls are punched for pickets to pass through and cannot get out of place. Gates are 75 inches high in center and 60 inches high next to posts. Used with No. 290, No. 200 or No. 300 Posts.

ENTRANCE GATES, No. 227.

Same construction as No. 510. Gates are 54 inches high in center and 66 inches high next to Posts.

The above cuts are an indication of the artistic signs and porches we produce under special orders. With the combination of art and ground glass many beautiful effects in illuminated signs can be had. Give an idea of your requirements, and we will prepare sketches and submit estimates.

DRIVEWAY ARCH.—The arch shown above is at the entrance to Andersonville Prison Park, Andersonville, Ga.
The arch banner has a frame of angle steel; the background to letters is galvanized sheet steel, letters are of cast aluminum. The arch supports are of cast iron. Weight of Arch and Gates, 1300 pounds. Post used, No. 290.

ST. JOSEPH'S ARCH.—A little more ornamental arch than the one on the preceding page. Scrolls and ornaments are of wrought iron. Same general construction as the Andersonville. Post used, No. 290.

OAKWOOD ARCH.—Very ornamental Posts, having inverted torch and wreath of acanthus leaves, both ideas suggestive of mortuary subjects. Post used, No. 200.



LARAMIE VALLEY ARCH.

Designed to meet the demand for a low priced entrance way. Support to banner, gas pipe. Solid aluminum letters. Post used, No. 115.

Fence Pattern, No. 144. Posts No. 115.

A SUBURBAN RESIDENCE, Washington C. H., Ohio.



VAULT GATES.

The above are reproduced from photographs of gates made for use in receiving vaults. Estimates made on designs submitted to us.

Form 125.

Price List

OF

Ornamental Iron Fencings

&

Gates, Posts, Arches, Etc.,

AS MANUFACTURED BY THE

Page Woven Wire Fence Co.

THE PRICES and weights given include line posts with foundations setting deep into the ground every seven feet the entire length of the fence, iron braces, rail connections, bolts, and one coat of black paint. The cast posts for the ends of the fence and gates and the gates being charged extra.

GATES are measured in with the total length of fence and are charged extra, in addition to the price per foot of the fence selected for the width of the openings, owing to the extra labor on them and the extra material in their construction. This we consider a more equitable way of doing than to increase the price per foot to cover the cost of gates and posts, as the number desired varies greatly in the different orders for fence. All single gates are furnished with bronze hand knobs.

POSTS are measured in with the fence the same as the gates are, and we determine the length of the panels after deducting the width of the posts.

CRATING. The banners of archways and the projecting scrolls of ornamental entrance gates in some instances require crating to prevent injury in transit. Where this is necessary, a charge of 5 per cent. is made. This is also the usual charge when the customer requests his order boxed or crated.

The **PICKETS** in all our fences are of round iron and are four inches from center to center. Where picket heads are shown they are of malleable iron shrunk on the upright picket and cannot be removed. The pickets are all screwed into the bottom rail.

The **RAILS.** The top and middle rails in all fences where 3/8, 7-16 and 1/2 pickets are used are of 1¼ x 9-16 channel steel. The bottom rails being of 1¼ x 1¼ angle steel. For 5/8 pickets 1½ inch angle and channel steel is used.

PAINT. We use black linseed oil paint in all instances. Where other colors are desired an extra charge of three cents per foot is made.

IN ESTIMATING the cost of a job the whole frontage must be measured from outside to outside, and figured at the price per foot of the fence desired, and to this added the price of the cast posts required for end and gate posts, together with $4.00 extra for single and $8.00 for double gates. For instance, according to the diagram below the fence would be figured as follows:

140 ft. Pattern No. 13, 3/8 in. picket, 26 in. long @ 50 cts.	$70.00
1 Double Gate, 9 ft. wide	8.00
1 Single Gate, 3½ ft. wide	4.00
6 Cast Iron Posts @ $2.25	13.50
	$95.50



IN MEASURING always stand on the outside of the fence facing the house or lot to be fenced, and give the distance from the end of the fence to the center of the first gate, and so on, then add together the different divisions and compare with the entire length for verification of measurements. The standard width of single gates is 3½ ft., and of double gates 9 ft., and they will in all instances be so made unless given differently on the diagram. Be sure and indicate which way gates should swing. In single gates, to match Patterns 13, 14, 15, 113, 114, 115 and 116, it is impossible to make a 3 ft. gate, though in extreme cases a 4 ft. gate can be made. Time is saved in all instances by ordering regular sizes.

The only exception to these rules for estimating is in the case of the archways. Where archways are wanted the amount of the archway and gates should be according to the list and not measured in the line of fence.

Price List of Round Picket Wrought Iron Fencing.

PATTERN NUMBER	23	123	124 24	13 43 63 100 223	14 44 125 224	15 45 126	113 143 153	114 144 154	115 145 155	116 146 156
3/8 in. Ro'd Picket 26 in. long 30 in. Fence, set	.45	.45	.50	.50	.55	.65	.55	.60	.65	.75
7/16 " " " 30 " " 34 " " "	.50	.50	.55	.55	.60	.70	.60	.65	.70	.80
7/16 " " " 36 " " 40 " " "	.60	.60	.65	.65	.70	.80	.65	.70	.75	.85
1/2 " " " 36 " " 40 " " "	.65	.65	.70	.70	.75	.85	.75	.80	.85	.95
1/2 " " " 42 " " 46 " " "	.80	.80	.85	.85	.90	1.00	.90	.95	1.00	1.10
5/8 " " " 42 " " 46 " " "	1.05	1.00	1.05	1.00	1.05	1.15	1.05	1.10	1.15	1.25
5/8 " " " 48 " " 52 " " "	1.15	1.10	1.15	1.15	1.20	1.30	1.20	1.25	1.30	1.40
5/8 " " " 56 " " 60 " " "	1.25	1.25	1.30	1.30	1.35	1.45	1.35	1.40	1.50	1.60

PATTERN NO. 9.

CONSTRUCTION.

3/8 in. Round Pickets, 4 in. apart, 38 in. Fence.
Malleable Iron Picket Heads and Fittings.
Channel Steel Horizontal Rails.
Gate Posts 1 in. Square Iron.
Line Posts 1x5-16 Flat Iron with Brace.
Wrought Iron Scrolls on Single Gate.
Center Support to Panels.

PRICE LIST OF SQUARE PICKET WROUGHT IRON FENCING.

PATTERN NUMBER	23	123	124 24	125	13 43 73 223	14 44 74 125 224	15 45	103 113 143 173	104 114 144 174	105 115 145 175	106 116 146 176	227	277
7/16 in. Sqr. Picket 30 in. long 34 in. Fence, set	.60	.60	.65	.65	.65	.70	.80	.70	.75	.80	.90		
7/16 " " " 36 " " 40 " " "	.70	.70	.75	.75	.75	.80	.90	.75	.80	.85	.95		
1/2 " " " 36 " " 40 " " "	.80	.80	.85	.85	.85	.90	1.00	.90	.95	1.00	1.10	1.25	1.35
1/2 " " " 42 " " 46 " " "	.95	.95	1.00	1.00	1.00	1.05	1.15	1.05	1.10	1.15	1.25	1.40	1.50
5/8 " " " 42 " " 46 " " "	1.25	1.25	1.30	1.30	1.30	1.35	1.40	1.30	1.30	1.35	1.45	1.70	1.80
5/8 " " " 48 " " 52 " " "	1.35	1.35	1.40	1.40	1.40	1.45	1.55	1.45	1.50	1.55	1.65	1.90	2.10
5/8 " " " 56 " " 60 " " "	1.50	1.50	1.55	1.55	1.55	1.60	1.75	1.65	1.70	1.75	1.80	2.30	2.50

PRICES.

Fence, per Running Foot....$ .40
Posts for Gates..... .75
Single Gates Extra..... 2.50
Double Gates Extra..... 5.00

Gates and Posts are measured in the line of fence.

Extra Charge for Grade, amounting to about 20 per cent.

Weights of Wrought Iron Fence per Foot

Size of Picket.	3/8	7-16	7-16	1/2	1/2	5/8	5/8
	Length of Picket and Height when Set.						
Pattern No.	26-30	30-34	36-40	36-40	42-46	42-46	48-52
13	7.78	10.34	12.38	13.22	15.95	20.45	22.7
14	8.17	11.07	13.14	14.69	16.70	21.2	23.45
15	8.77	11.84	13.89	15.44	17.45	22.7	24.95
23	7.03	9.2	11.24	12.74	14.75	18.95	21.25
43	7.78	10.34	12.38	13.94	15.95	20.45	21.7
44	8.17	11.07	13.14	14.69	16.70	21.2	23.45
45	8.77	11.84	13.54	15.14	17.10	21.95	24.2
103	8.2	9.65	12.74	14.14	16.	20.2	21.4
104	8.55	10.4	13.49	14.89	16.75	20.95	22.9
105	8.85	10.77	13.84	15.24	17.10	21.70	23.65
106	9.15	11.1	14.14	15.59	17.45	22.95	24.1
113, 143, 153	8.2	9.65	12.74	14.14	16.	20.2	22.15
114, 144, 154	8.55	10.4	13.49	14.89	16.75	20.95	22.9
115, 145, 155	8.55	10.77	13.84	15.24	17.10	21.7	23.65
116, 146, 156	9.15	11.1	14.14	15.59	17.45	22.95	24.4
123	7.53	9.65	11.59	12.94	14.8	18.7	20.65
124	7.86	10.4	12.34	13.69	15.55	19.45	21.44
125	7.93	10.33	12.34	13.84	15.85	20.35	22.6

Jockey Fence.

Made of 1/2 Round Pickets, 2½ in. apart. 60 in. high, per foot $1.00

Combination Wire and Iron Ornamental Lawn Fence.

(Page 20, small catalogue.)

36 in. high, including posts, per ft.....60 cts.
42 " " " " " .....70 cts.
48 " " " " " .....75 cts.

Our regular Farm Gates are used with the Ornamental Lawn Fence, but with different attachments.

A charge of 10 per cent. additional is made for making this style wire and iron fence to fit grade.

GRAVE GUARDS.

3/8 in. picket, 14 in. high when set, 4 in. band at bottom.

Size 7 ft. x 2⅓ ft.....$11.00
" 7 ft. x 5 ft..... 13.00
" 9 ft. x 5 ft..... 15.00
" 8 ft. x 8 ft..... 17.00

Where other sizes than the above are desired, the price is 55c. per running foot, with an additional charge of $2.00 for gate. The gate in all instances will be plain, to match the grave guard. The 4 inch band iron strip can be attached to any fence, at a cost of 10c. per foot.

Weights and Sizes of Posts.

		Weight Post.	Weight Base.	Total.	Size of Post.
Cast Posts for Fence 30 in. high		23	22	45	3½ in. square
" " " " 34 "		36	22	58	4 "
" " " " 40 "		55	30	85	4½ "
" " " " 46 "		65	35	100	5 "
" " " " 52 "		68	35	103	5½ "
" " " " 60 "		100	40	140	6 "
" " " " 66 "		130	40	170	6½ "
" " "No. 290	60 "	310	124	434	10 "
" " "No. 200	60 "	235	124	359	10 "
" " "No. 300	60 "				14 "
Line Posts " "	30 "	6	10	16	
" " " "	34 "	8	10	18	
" " " "	40 "	10	16	26	
" " " "	46 "	11	24	35	
" " " "	52 "	12	34	46	

Cast Posts for Gates and Ends Extra.

26 inch Fence....$ 2.00
30 " " 2.25
34 " " 3.75
40 " " 5.00
46 " " 5.75
52 " " 6.75
60 " " 8.00
66 " " 10.00

The same designs of Cast Posts are furnished with the various styles of fences as shown in this catalogue.

60, 66 and 72 inch fences are furnished with No. 115 post.

Large Posts for Entrances.

No. 290, Used for 60 inch Fence.....$18.00
No. 200, Used for 60 inch Fence..... 26.00
No. 300, Used for 60 inch Fence..... 35.00
No. 300, Used for 72 inch Fence..... 40.00

Hitching Posts, Styles No. 350 and No. 351.

Made of 2 inch Gas Pipe, trimmed with Heavy Castings at top and bottom, and setting 2½ feet in ground, each.....$2.50

"ANDERSONVILLE" ARCH.

(Page 26, small catalogue.)

Archway and Posts, including lettering.....$70.00
Suspended Inscription Plate..... 6.00
Double Gates, 14 ft. opening, ½ inch picket, 58 in. high..... 25.00
Single Gates, 4 ft. opening, ½ in. picket, 58 in. high, each..... 8.00

"ST. JOSEPH'S" ARCH.

(Page 25, small catalogue.)

Archway and Posts, including lettering.....$80.00
Double Gates, 12 ft. opening, 5/8 picket, 58 in. high..... 25.00
Single Gates, 4 ft. opening, 5/8 picket, 58 in. high, each..... 9.00

"OAKWOOD" ARCH.

Archway and Posts, including lettering.....$175.00
Double Gates, 12 ft. Opening, 5/8 in. Picket, 60 in. high..... 75.00
Single Gates, 4 in. Opening, each..... 15.00

"LARAMIE VALLEY" ARCH.

Archway, including lettering.....$45.00
Double Gates, ½ in. picket, 40 in. high, 12 ft. Opening..... 17.60

ENTRANCE GATES, No. 500.

(Page 24, small catalogue.)

12 ft. opening.

½ in. picket, 58 in. high.....$23.00
5/8 in. picket, 58 in. high..... 25.00
Posts, $18.00 each.

ENTRANCE GATES, No. 400.

(Page 23, small catalogue.)

14 ft. opening.

Designed to go with our 25 bar 88 in. Park Fence.
5/8 in. picket, 88 in. high.....$80.00

6 ft. opening.

5/8 in. picket, 88 in. high..... 25.00

ENTRANCE GATE

(As shown on front page of cover.)

5/8 Sq. Picket, 60 in. high next to Posts, and 50 in. in Center, Rings of Malleable Iron, Heavy Wrought Iron Scrolls fitted over pickets, 12 ft. Opening $125.00

ENTRANCE GATE

(As shown on back of cover.)

5/8 Sq. Picket, 60 in. high, 12 ft. Opening.....$80.00

ENTRANCE GATES, No. 327.

12 ft. Opening, 60 in. high at posts.....$100.00
Single Gates, 4 ft. Opening, each..... 18.00

See Post List for price of No. 300 Posts.

ENTRANCE GATES, No. 227.

12 ft. Opening, 66 in. high at posts.....$75.00
12 ft. Opening, 60 in. high at posts..... 75.00
Single Gates, 4 ft. Opening, each..... 15.00

See Post List for price of No. 300 Posts.

CARRIAGE ENTRANCE GATES, Nos. 116 and 145.

These Gates are figured at the price per foot of sufficient fence to fill the opening, plus the usual extra charge of $8.00 for Double Gates.

VAULT GATES.

½ in. round picket.....$25.00

Other designs can be furnished upon request.

WROUGHT IRON GRILLS.

Prices range from $6.00 upwards, depending on size of opening. We must have sketch giving dimensions before quoting prices.

DIRECTIONS FOR SETTING WROUGHT IRON FENCE.

The proper distance apart for line posts is found by dividing the distance between end or gate posts into as many parts as there are sections of fence in that run. Dig holes about 2 feet long and 1 foot wide. If fence is to be level dig all holes to an even depth; if, however, there is a grade, let the depth of hole vary with the grade.

The holes being dug, now attach cast posts to their foundations by the post rod, the line posts to their foundations so that line post is vertical when the bottom of foundation is level. Now place the posts in the holes and select the panels which are designed to go together and which can be easily recognized by the number on small tin tag.

In end panels, or those that enter the cast posts, the lower rail will be found to be a little longer. This extra length is to enter the slot cut for it in the base of post. The post must be so placed that the flat side of the bottom rail is on the outside or front of fence. Having selected the proper panels put them in place and connect them to posts by means of the bolts furnished.

In setting fence do not jam sections close together, that is, too tight to the line posts, as there is a space and slot at each end of panel and in the line post clamp, to allow for contraction and expansion.

When fence is all in position, but holes not entirely filled in, stretch a chalk line from end post to end post and line up fence accordingly.

Any slight variation in length of fence can easily be remedied by loosening the bolt, and taking up or letting out the panels as held in small brackets on end and line posts.

A slight variation in width of gate opening can be remedied by loosening the upper part of the post and allowing it to slide either way on the foundation plate.

The fence is easily lined up straight and perpendicular by means of the bolt and slot at the base of the brace rod.

PAGE WOVEN WIRE FENCE CO.,

Adrian, Mich., U. S. A.

PAGE WOVEN WIRE FENCE CO.,

Adrian, Mich., U. S. A.

PAGE WOVEN WIRE FENCE CO.

ADRIAN, MICHIGAN.

J. WALLACE PAGE, PRESIDENT.
AUSTIN CLEMENT, 1ST VICE-PRESIDENT.
CHARLES M. LAMB, 2ND VICE-PRESIDENT.
ARTHUR B. CODY, SECRETARY.
LESLIE B. ROBERTSON, TREASURER.

MANUFACTURERS OF
COILED SPRING WOVEN WIRE FENCING, WROUGHT IRON - - FENCING, FARM GATES, RODS, WIRE AND STAPLES - - - - - -

ADRIAN, MICH., SEP 28 1905

To Our Agents:--

We are handing you a copy of our new Wrought Iron Fence Catalog with price list covering same, and a circular on a special low priced fence also shown on page 15 in the catalog. Please note all former quotations on this fence are hereby withdrawn and orders will only be filled on a basis of 40c per running foot. This catalog is issued for your own use - the small one will still be used for general distribution. We know that you will appreciate our effort to give you better illustrated and printed matter to assist you in securing orders, and ask that you familiarize yourself with the contents and especially the page on "General Information." One of the first requisites of a good salesman is to be posted on his line, and to be a good salesman means better income.

Did you ever stop to think how fast wrought iron work runs into money, and your commission runs right along with it? A foot of iron fence is worth in commission as much as a rod of wire fence. Some of your residents must need a fence for their lawn or a division fence. Perhaps your cemetery trustees would consider a fence and archway for their cemetery, or if they want to use wire fence for their cemetery, our iron entrance gates would give the right finishing touch to the job.

Your time during the coming season could be profitably spent in soliciting orders for Spring delivery and save time waiting for fence to be made, as every order has to be made after its receipt.

We also call your attention to our hitching posts and their stability. Everyone ought to have one in front of his house.

Turn your attention to iron fence for awhile and we are sure the results will be gratifying to all parties concerned. If any special work comes up that you want information about, do not hesitate to write to the general office for it, as we will give you information cheerfully.

Yours very truly,
PAGE WOVEN WIRE FENCE CO.
Per Robt. Darnton.

RMR.--MMC.

Digitized by:

ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:
Gerron S. Hite
West Texas Collection, Angelo State University, San Angelo, TX

No. 1.

No. 2.

Wrought Iron Grills, for stone porch openings, brick walls, etc. Price depends on size. Ask for special prices, giving size and style wanted.

WROUGHT IRON GRAVE GUARD.

Made strong and durable as a safeguard against intrusion. Sizes usually made are shown on price list. Height 14 inches. Four-inch band iron at bottom.

ARCHES OF ALL KINDS
Railings,
Window guards,
Signs,
Fire escapes.
SPECIAL WORK IN
ORNAMENTAL IRON
MADE TO ORDER
Designs and Estimates furnished
Park and
Cemetery
enclosures,
Gates,
Grill
work.
METAL FENCING A SPECIALTY